


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



NOTE:
1. REF. AGUSTA T/N 895-3101-29-107

ASSY QTY	ASSY QTY	B/O	Part #	QTY.	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	TOOL ASSY, BEARING STAKING		RBW895-3101-25-101	1
			-3	1	TOOL ASSY, BEARING INSTL		RBW895-3101-26-101	1
			-5	1	TOOL ASSY, BEARING TEST		RBW895-3101-27-101	1
			-7	1	PLACARD	PLASTIC	1/16 X 4-1/2 X 6-1/2	2
		B/O	-9	1	TOP FOAM	Y-20 BLACK	3/4 X 5-3/4 X 8-1/4	3
		B/O	-11	1	BOTTOM FOAM	Y-20 BLACK	3 X 5-7/8 X 8-3/8	4
		B/O	-13	1	CASE	PLASTIC	PELICAN CASE #APP-1150-E	1
		B/O	-15	1	RED BARN PLACARD	ALUMINUM	RB41009	N/S
		B/O	-17	4	#2 DRIVE SCREW	COATED STEEL	1/8 MCMASTER-CARR #90081A074	N/S


RED BARN MACHINE	
TITLE TOOL KIT, BEARING P/N 109-0134-14-101 INSTL	
DWG NO. RBW895-3101-29-107	REV
MAT'L	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:3	DATE 9/4/2013
SHEET 1 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED

RBW895-3101-29-107

ITEM	P/N	DESCRIPTION	QTY
1	RBW895-3101-25-101	TOOL ASSY, BEARING STAKING	1
2	RBW895-3101-26-101	TOOL ASSY, BEARING INSTL	1
3	RBW895-3101-27-101	TOOL ASSY, BEARING TEST	1



4.50


R.13

6.50

(.06)



(-7)

PLACARD

 RED BARN MACHINE	
TITLE TOOL KIT, BEARING P/N 109-0134-14-101 INSTL	
DWG NO. RBW895-3101-29-107-7	REV
MAT'L PLASTIC	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109, AW119
SCALE 1:1	DATE 9/5/2013
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL






SECTION A-A

(-9)
TOP FOAM

RED BARN MACHINE		TITLE	
		TOOL KIT, BEARING P/N 109-0134-14-101 INSTL	
DWG NO.		REV	
RBW895-3101-29-107-9			
MAT'L Y-20 BLACK		DRAWN BY: SMITH	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>	
.XXX ± .005		HEAT	
.XX ± .01		TREAT	
.X ± .1		FINISH	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R		SPEC	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL	
		AW109, AW119	
SCALE 1:2	DATE 9/5/2013	SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



SECTION B-B

(-11)

BOTTOM FOAM

RED BARN MACHINE	
TITLE TOOL KIT, BEARING P/N 109-0134-14-101 INSTL	
DWG NO. RBW895-3101-29-107-11	REV
MAT'L Y-20 BLACK	DRAWN BY: SMITH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
	AW109, AW119
SCALE 1:2	DATE 9/5/2013
	SHEET 4 OF 4